

SANCO INDUSTRIES, INC. P.O. Box 11617, Fort Wayne, IN 46859 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 1: Identification		
1.1. Identification		
Product form	: Mixture	
Product name	: Hoof Oil	
1.2. Recommended use and restrie	ctions on use	
Use of the substance/mixture	: Prevent drying	and cracking of hooves. Hoof conditioner.
1.3. Supplier		
Sanco Industries, Inc.		
1819 S. Calhoun Street		
Fort Wayne, IN 46802		
Phone: 260-426-6281		
Toll Free: 888-697-2626		
1.4. Emergency telephone number		
Emergency number	: 24 Hour Conta	act - CHEMTREC 1-800-424-9300
SECTION 2: Hazard(s) identifica	ition	
2.1. Classification of the substanc	e or mixture	
GHS-US classification		
Skin sensitization Category 1	H317	May cause an allergic skin reaction
Full text of H statements : see section 16		
2.2. GHS Label elements, including	g precautionary statem	ents
GHS-US labeling		
Hazard pictograms (GHS-US)		•
Signal word (GHS-US)	: Warning	
Hazard statements (GHS-US)	: H317 - May ca	ause an allergic skin reaction
Precautionary statements (GHS-US)	P272 - Contan P280 - Wear p P302+P352 - I P333+P313 - I P363 - Wash c	oreathing vapors/spray ninated work clothing must not be allowed out of the workplace protective gloves/protective clothing/eye protection/face protection of on skin: Wash with plenty of water if skin irritation or rash occurs: Get medical advice/attention contaminated clothing before reuse e of contents/container in accordance with local, state, and federal regulations.
2.3. Other hazards which do not re	sult in classification	
No additional information available		

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

- 3.1. **Substances**
- Not applicable

3.2. **Mixtures**

Name	Product identifier	%	GHS-US classification
Turpentine, oil	(CAS No) 8006-64-2	3.67	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304

Full text of hazard classes and H-statements : see section 16

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	 Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice.
First-aid measures after inhalation	: Allow victim to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash contaminated clothing before reuse.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and effe	cts (acute and delayed)
Potential Adverse human health effects and symptoms	: No additional information available.
Symptoms/injuries after inhalation	: May cause an allergic skin reaction.
4.3. Immediate medical attention and sp	pecial treatment, if necessary
No additional information available	
SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extinguis	hing media
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
	-
5.2. Specific hazards arising from the c No additional information available	nemical
5.3. Special protective equipment and p	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release mea	sures
6.1. Personal precautions, protective ed	quipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
	Equip cleanup crew with proper protection.Ventilate area.
Protective equipment Emergency procedures	
Protective equipment Emergency procedures 6.2. Environmental precautions	
Protective equipment Emergency procedures 6.2. Environmental precautions Prevent entry to sewers and public waters. Notified	: Ventilate area.
Protective equipment Emergency procedures 6.2. Environmental precautions Prevent entry to sewers and public waters. Notif	: Ventilate area.
Protective equipment Emergency procedures 6.2. Environmental precautions Prevent entry to sewers and public waters. Noti 6.3. Methods and material for containm Methods for cleaning up	 Ventilate area. fy authorities if liquid enters sewers or public waters. ent and cleaning up Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect
Protective equipment Emergency procedures 6.2. Environmental precautions Prevent entry to sewers and public waters. Noti 6.3. Methods and material for containm Methods for cleaning up	 Ventilate area. if y authorities if liquid enters sewers or public waters. ent and cleaning up Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
Protective equipment Emergency procedures 6.2. Environmental precautions Prevent entry to sewers and public waters. Notif 6.3. Methods and material for containmental for containmental precautions Methods for cleaning up 6.4. Reference to other sections	 Ventilate area. if y authorities if liquid enters sewers or public waters. ent and cleaning up Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
Protective equipment Emergency procedures 6.2. Environmental precautions Prevent entry to sewers and public waters. Notif 6.3. Methods and material for containmental for containmental precautions Methods for cleaning up 6.4. Reference to other sections See Heading 8. Exposure controls and personal SECTION 7: Handling and storage	 Ventilate area. if y authorities if liquid enters sewers or public waters. ent and cleaning up Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
Protective equipment Emergency procedures 6.2. Environmental precautions Prevent entry to sewers and public waters. Notif 6.3. Methods and material for containmental for containmental precautions Methods for cleaning up 6.4. Reference to other sections See Heading 8. Exposure controls and personal SECTION 7: Handling and storage 7.1. Precautions for safe handling	 Ventilate area. fy authorities if liquid enters sewers or public waters. ent and cleaning up Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. I protection.
Protective equipment Emergency procedures 6.2. Environmental precautions Prevent entry to sewers and public waters. Notif 6.3. Methods and material for containmental for containmental precautions Methods for cleaning up 6.4. Reference to other sections See Heading 8. Exposure controls and personal SECTION 7: Handling and storage	 Ventilate area. if y authorities if liquid enters sewers or public waters. ent and cleaning up Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
Protective equipment Emergency procedures 6.2. Environmental precautions Prevent entry to sewers and public waters. Notif 6.3. Methods and material for containmental for containmental precautions Methods for cleaning up 6.4. Reference to other sections See Heading 8. Exposure controls and personal SECTION 7: Handling and storage 7.1. Precautions for safe handling	 Ventilate area. ify authorities if liquid enters sewers or public waters. ent and cleaning up Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. I protection. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation
Protective equipment Emergency procedures 6.2. Environmental precautions Prevent entry to sewers and public waters. Notif 6.3. Methods and material for containm Methods for cleaning up 6.4. Reference to other sections See Heading 8. Exposure controls and persona SECTION 7: Handling and storage 7.1. Precautions for safe handling Precautions for safe handling Hygiene measures	 Ventilate area. Fy authorities if liquid enters sewers or public waters. ent and cleaning up Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. I protection. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Avoid breathing fume/mist/vapors/spray. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.
Protective equipment Emergency procedures 6.2. Environmental precautions Prevent entry to sewers and public waters. Notif 6.3. Methods and material for containm Methods for cleaning up 6.4. Reference to other sections See Heading 8. Exposure controls and persona SECTION 7: Handling and storage 7.1. Precautions for safe handling Precautions for safe handling Hygiene measures	 Ventilate area. fy authorities if liquid enters sewers or public waters. ent and cleaning up Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. I protection. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Avoid breathing fume/mist/vapors/spray. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. ing any incompatibilities Keep only in the original container in a cool, well ventilated place. Keep container closed when
Protective equipment Emergency procedures 6.2. Environmental precautions Prevent entry to sewers and public waters. Notif 6.3. Methods and material for containm Methods for cleaning up 6.4. Reference to other sections See Heading 8. Exposure controls and personal SECTION 7: Handling and storage 7.1. Precautions for safe handling Precautions for safe handling Hygiene measures 7.2. Conditions for safe storage, include	 Yentilate area. fy authorities if liquid enters sewers or public waters. ent and cleaning up Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. I protection. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Avoid breathing fume/mist/vapors/spray. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.
Protective equipment Emergency procedures 6.2. Environmental precautions Prevent entry to sewers and public waters. Notif 6.3. Methods and material for containing Methods for cleaning up 6.4. Reference to other sections See Heading 8. Exposure controls and personal SECTION 7: Handling and storage 7.1. Precautions for safe handling Precautions for safe handling Hygiene measures 7.2. Conditions for safe storage, include Storage conditions	 Ventilate area. fy authorities if liquid enters sewers or public waters. ent and cleaning up Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. I protection. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Avoid breathing fume/mist/vapors/spray. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. ing any incompatibilities Keep only in the original container in a cool, well ventilated place. Keep container closed when not in use.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Incompatible materials

: Sources of ignition. Direct sunlight.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Turpentine, oil (8006-64-2)			
ACGIH	ACGIH TWA (ppm)	20 ppm	
OSHA	OSHA PEL (TWA) (mg/m³)	560 mg/m ³	
OSHA	OSHA PEL (TWA) (ppm)	100 ppm	
IDLH	US IDLH (ppm)	800 ppm	
NIOSH	NIOSH REL (TWA) (mg/m ³)	560 mg/m ³	
NIOSH	NIOSH REL (TWA) (ppm)	100 ppm	

8.2. Appropriate engineering controls

No additional information available

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Wear protective gloves

Eye protection:

Chemical goggles or safety glasses

Respiratory protection:

Not normally required; if exposures exceed recommended limits, wear NIOSH-approved respirator

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemic	al properties
9.1. Information on basic physical a	
Physical state	: Liquid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Non flammable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to Federal Register / Vol. 77, No. 58 / Monday,	
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
9.2. Other information	
No additional information available	
SECTION 10: Stability and reactivity	
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
Not established.	
10.3. Possibility of hazardous reactions	
Not established.	
10.4. Conditions to avoid	
Direct sunlight. Extremely high or low temperature	es.
10.5. Incompatible materials	
Strong acids. Strong bases.	
10.6. Hazardous decomposition products	
Carbon monoxide. Carbon dioxide.	
SECTION 11: Toxicological informati	on
11.1. Information on toxicological effects	
Acute toxicity	: Not classified
····,	
White mineral oil, petroleum (8042-47-5)	
LD50 oral rat	> 5000 mg/kg
LD50 oral rat Turpentine, oil (8006-64-2)	
LD50 oral rat Turpentine, oil (8006-64-2) LD50 oral rat	5760 mg/kg
LD50 oral rat Turpentine, oil (8006-64-2) LD50 oral rat LD50 dermal rabbit	5760 mg/kg > 5010 mg/kg
LD50 oral rat Turpentine, oil (8006-64-2) LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l)	5760 mg/kg > 5010 mg/kg 12 g/m³ (Exposure time: 6 h)
LD50 oral rat Turpentine, oil (8006-64-2) LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l) ATE US (oral)	5760 mg/kg > 5010 mg/kg 12 g/m³ (Exposure time: 6 h) 500 mg/kg body weight
LD50 oral rat Turpentine, oil (8006-64-2) LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l) ATE US (oral) ATE US (dermal)	5760 mg/kg > 5010 mg/kg 12 g/m³ (Exposure time: 6 h) 500 mg/kg body weight 1100 mg/kg body weight
LD50 oral rat Turpentine, oil (8006-64-2) LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l) ATE US (oral)	5760 mg/kg > 5010 mg/kg 12 g/m³ (Exposure time: 6 h) 500 mg/kg body weight
LD50 oral ratTurpentine, oil (8006-64-2)LD50 oral ratLD50 dermal rabbitLC50 inhalation rat (mg/l)ATE US (oral)ATE US (dermal)ATE US (gases)	5760 mg/kg > 5010 mg/kg 12 g/m³ (Exposure time: 6 h) 500 mg/kg body weight 1100 mg/kg body weight 4500 ppmV/4h
LD50 oral ratTurpentine, oil (8006-64-2)LD50 oral ratLD50 dermal rabbitLC50 inhalation rat (mg/l)ATE US (oral)ATE US (dermal)ATE US (gases)ATE US (vapors)	5760 mg/kg > 5010 mg/kg 12 g/m³ (Exposure time: 6 h) 500 mg/kg body weight 1100 mg/kg body weight 4500 ppmV/4h 12 mg/l/4h
LD50 oral ratTurpentine, oil (8006-64-2)LD50 oral ratLD50 dermal rabbitLC50 inhalation rat (mg/l)ATE US (oral)ATE US (dermal)ATE US (dermal)ATE US (gases)ATE US (vapors)ATE US (dust, mist)	5760 mg/kg > 5010 mg/kg 12 g/m³ (Exposure time: 6 h) 500 mg/kg body weight 1100 mg/kg body weight 4500 ppmV/4h 12 mg/l/4h 1.5 mg/l/4h
LD50 oral ratTurpentine, oil (8006-64-2)LD50 oral ratLD50 dermal rabbitLC50 inhalation rat (mg/l)ATE US (oral)ATE US (dermal)ATE US (dermal)ATE US (gases)ATE US (vapors)ATE US (dust, mist)Skin corrosion/irritation	5760 mg/kg > 5010 mg/kg 12 g/m³ (Exposure time: 6 h) 500 mg/kg body weight 1100 mg/kg body weight 4500 ppmV/4h 12 mg/l/4h 1.5 mg/l/4h : Not classified
LD50 oral ratTurpentine, oil (8006-64-2)LD50 oral ratLD50 dermal rabbitLC50 inhalation rat (mg/l)ATE US (oral)ATE US (dermal)ATE US (gases)ATE US (vapors)ATE US (dust, mist)Skin corrosion/irritationSerious eye damage/irritation	5760 mg/kg > 5010 mg/kg 12 g/m³ (Exposure time: 6 h) 500 mg/kg body weight 1100 mg/kg body weight 4500 ppmV/4h 12 mg/l/4h 1.5 mg/l/4h . Not classified . Not classified
LD50 oral ratTurpentine, oil (8006-64-2)LD50 oral ratLD50 dermal rabbitLC50 inhalation rat (mg/l)ATE US (oral)ATE US (dermal)ATE US (gases)ATE US (vapors)ATE US (dust, mist)Skin corrosion/irritationSerious eye damage/irritationRespiratory or skin sensitization	5760 mg/kg > 5010 mg/kg 12 g/m³ (Exposure time: 6 h) 500 mg/kg body weight 1100 mg/kg body weight 4500 ppmV/4h 12 mg/l/4h 1.5 mg/l/4h . Not classified . Not classified . May cause an allergic skin reaction.
LD50 oral ratTurpentine, oil (8006-64-2)LD50 oral ratLD50 dermal rabbitLC50 inhalation rat (mg/l)ATE US (oral)ATE US (dermal)ATE US (dermal)ATE US (gases)ATE US (vapors)ATE US (dust, mist)Skin corrosion/irritationSerious eye damage/irritationRespiratory or skin sensitizationGerm cell mutagenicity	5760 mg/kg > 5010 mg/kg 12 g/m³ (Exposure time: 6 h) 500 mg/kg body weight 1100 mg/kg body weight 4500 ppmV/4h 12 mg/l/4h 1.5 mg/l/4h Not classified Not classified May cause an allergic skin reaction. Not classified
LD50 oral ratTurpentine, oil (8006-64-2)LD50 oral ratLD50 dermal rabbitLC50 inhalation rat (mg/l)ATE US (oral)ATE US (dermal)ATE US (dermal)ATE US (dermal)ATE US (dust, mist)Skin corrosion/irritationSerious eye damage/irritationRespiratory or skin sensitizationGerm cell mutagenicityCarcinogenicity	5760 mg/kg > 5010 mg/kg 12 g/m³ (Exposure time: 6 h) 500 mg/kg body weight 1100 mg/kg body weight 4500 ppmV/4h 12 mg/l/4h 1.5 mg/l/4h Not classified
LD50 oral ratTurpentine, oil (8006-64-2)LD50 oral ratLD50 dermal rabbitLC50 inhalation rat (mg/l)ATE US (oral)ATE US (dermal)ATE US (dermal)ATE US (gases)ATE US (dust, mist)Skin corrosion/irritationSerious eye damage/irritationRespiratory or skin sensitizationGerm cell mutagenicityCarcinogenicityReproductive toxicity	5760 mg/kg > 5010 mg/kg 12 g/m³ (Exposure time: 6 h) 500 mg/kg body weight 1100 mg/kg body weight 4500 ppmV/4h 12 mg/l/4h 1.5 mg/l/4h • Not classified • May cause an allergic skin reaction. • Not classified
LD50 oral rat Turpentine, oil (8006-64-2) LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l) ATE US (oral) ATE US (dermal) ATE US (dermal) ATE US (gases) ATE US (dust, mist) Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity Specific target organ toxicity – single exposure Specific target organ toxicity – repeated	5760 mg/kg > 5010 mg/kg 12 g/m³ (Exposure time: 6 h) 500 mg/kg body weight 1100 mg/kg body weight 4500 ppmV/4h 12 mg/l/4h 1.5 mg/l/4h 1.5 mg/l/4h Not classified May cause an allergic skin reaction. Not classified
LD50 oral rat Turpentine, oil (8006-64-2) LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l) ATE US (oral) ATE US (dermal) ATE US (dermal) ATE US (gases) ATE US (dust, mist) Skin corrosion/irritation Serious eye damage/irritation Germ cell mutagenicity Carcinogenicity Reproductive toxicity Specific target organ toxicity – single exposure Specific target organ toxicity – repeated exposure	5760 mg/kg > 5010 mg/kg 12 g/m³ (Exposure time: 6 h) 500 mg/kg body weight 1100 mg/kg body weight 4500 ppmV/4h 12 mg/l/4h 1.5 mg/l/4h * Not classified May cause an allergic skin reaction. * Not classified * Not classified

SECTION 12: Ecological information			
12.1. Toxicity			
White mineral oil, petroleum (8	042-47-5)		
LC50 fish 1	> 10000 mg/l (Exposure time: 96 h - Species: Lepomis macroch	iirus)	
12/13/2019	EN (English US)	4/6	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations		
12.2. Persistence and degradability		
Hoof Oil		
Persistence and degradability Not established.		
12.3. Bioaccumulative potential		
Hoof Oil		
Bioaccumulative potential Not established.		
White mineral oil, petroleum (8042-47-5)		
Log Pow >6		
12.4. Mobility in soil No additional information available		
12.5. Other adverse effects		
Other information : Avoid release to the environment.		
SECTION 12: Disposal considerations		
SECTION 13: Disposal considerations		
13.1. Disposal methods Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local, state, and	d federal regulations	
Ecology - waste materials : Avoid release to the environment.		
SECTION 14: Transport information		
Department of Transportation (DOT) No additional information available		
TDG		
No additional information available		
Transport by sea		
No additional information available		
Air transport		
No additional information available		
SECTION 15: Regulatory information		
15.1. US Federal regulations		
Turpentine, oil (8006-64-2)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
15.2. International regulations		
CANADA		
Turpentine, oil (8006-64-2)		
Listed on the Canadian DSL (Domestic Substances List)		
EU-Regulations		
Turpentine, oil (8006-64-2)		
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)		
National regulations		
Turpentine, oil (8006-64-2)		
Listed on the AICS (Australian Inventory of Chemical Substances)		
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on the Japanese ISHL (Industrial Safety and Health Law)		
Listed on the Korean ECL (Existing Chemicals List)		
Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)		
Listed on INSQ (Mexican national Inventory of Chemical Substances)		
Listed on the TCSI (Taiwan Chemical Substance Inventory)		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.3. US State regulations

No additional information available

SE	SECTION 16: Other information		
Oth	er information	: None.	
Full	text of H-phrases:		
	H226	Flammable liquid and vapor	
	H302	Harmful if swallowed	
	H304	May be fatal if swallowed and enters airways	
	H312	Harmful in contact with skin	
	H315	Causes skin irritation	
	H317	May cause an allergic skin reaction	
	H319	Causes serious eye irritation	
	H332	Harmful if inhaled	

SDS US (GHS HazCom 2012)

While Sanco Industries, Inc. believes the data set forth is accurate to the best of our knowledge, Sanco Industries, Inc. makes no warranties and expressly disclaims all liability for reliance thereon. Such data is offered solely for your consideration and verification.